

State of the Municipal Infrastructure

Summary Status Through



End of Year 2012

**City of Shreveport
Department of Engineering and
Environmental Services**

**Ron Norwood, P.E.
City Engineer**

February 2013

UNDERLYING ASSUMPTIONS RELATED TO INFRASTRUCTURE ASSETS VALUATION AND CONDITION

This report represents a summary of the current methodology and approach used by the Department of Engineering and Environmental Services to provide a basic level of infrastructure asset management. This asset management program involves development and analyses of data related to infrastructure assets inventory, condition, and valuation parameters.

Over time these parameters change due to inflation, construction cost increases, deteriorating physical assets, etc. Since it is not possible with existing programs and tools to monitor and adjust all the parameters due to these changes, the information reflected in this report should be viewed as the best available data resulting from a reasonable amount of data development and analysis.

Annual renewal rates for water, wastewater and roadways were adjusted for the 2009 End of Year report. These increases can be seen as the sharp spikes in the annual renewal amounts on the graphs in the report. These increases are substantial and reflect not only thirteen years of increases in construction costs and the increase in physical size of the infrastructure, but also a more accurate representation of the true renewal and life cycle costs of the different types of infrastructure in the City.

The data provided in this document should be considered as representative of trends in infrastructure assets renewal and expenditures.

TABLE OF CONTENTS

UNDERLYING ASSUMPTIONS RELATED TO INFRASTRUCTURE ASSETS	
VALUATION AND CONDITION.....	2
PROJECTS OF SPECIAL CONCERN.....	4
Wastewater Collection System Upgrade And Rehabilitation	4
Funding Of Emergency Water And Sewer Projects.....	5
Comprehensive City-Wide Gis And Asset Management System.....	5
Increased Water Treatment Capacity	6
Cross Lake	7
Cross Lake Dam.....	7
Street Rehabilitation And Replacement Program	8
Intelligent Traffic System	8
Water Distribution System Issues.....	9
EXECUTIVE SUMMARY	10
STATE OF THE MUNICIPAL INFRASTRUCTURE	13
TOTAL MUNICIPAL INFRASTRUCTURE	13
Total Municipal Annual Infrastructure Renewal	15
WATER AND SEWER INFRASTRUCTURE.....	16
Water Treatment and Pumping Facilities Annual Infrastructure Renewal.....	17
Water Distribution System Annual Infrastructure Renewal	18
Wastewater Treatment and Pumping Facilities Annual Infrastructure Renewal	19
Wastewater Collection System Annual Infrastructure Renewal	20
ROADWAYS INFRASTRUCTURE	21
Overall Roadway Infrastructure Assets	21
Total Roadway System Annual Infrastructure Renewal.....	22
STORMWATER DRAINAGE INFRASTRUCTURE.....	23
Total Drainage System Annual Infrastructure Renewal	24
CONCLUSIONS AND RECOMMENDATIONS	25
POTENTIAL FUNDING SOURCES	26

PROJECTS OF SPECIAL CONCERN

The following are special or high priority infrastructure projects or concerns which are identified here to highlight their unique characteristics and to emphasize the importance in timing for addressing these projects.

While these specific projects are identified as high priority, other projects identified by the Department of Engineering and Environmental Services in the “Capital Projects and Proposed Infrastructure Improvement Programs” must also be addressed to prevent deterioration of the infrastructure to levels which will affect the City’s ability to meet customer expectations.

WASTEWATER COLLECTION SYSTEM UPGRADE AND REHABILITATION

The current state of our wastewater collection system is not adequate to convey the flows into the system to the wastewater treatment facilities. This is evident in the monthly documentation of sanitary sewer overflows as well as significant increase in flows to the treatment facilities during wet weather events. This inadequacy results in sewer overflows into neighborhoods and stresses our lift stations and treatment plants. The “fix” for this problem lies not only in repairing defective pipes and rehabilitating lift stations, but in committing to an overall evaluation of our system.

Unlike our water distribution system where it is relatively easy to install a pipe and the water will flow through it, the sewer collects from one point to another, where it is then combined with other flows from other places and then continues on. In essence, changes in one place effect what happens further downstream and if these changes are not accounted for system-wide, it results in capacity issues. While City Staff has identified approximately \$200 million in collection system projects, this does not account for capacity issues. This type of capacity planning is accomplished through a Master Plan. The last Master Plan for the City’s collection system was completed in 1984. The City has hired a consultant to provide engineering services for a Sanitary Sewer Evaluation Survey and Wastewater Master Plan. The initial round of work is expected to take two to three years and the complete system evaluation may require an additional three years. The engineering component will cost approximately \$8 million and the initial physical surveys and inspections may cost as much as \$20 to \$25 million depending on the negotiations with the Environmental Protection Agency (EPA) and the U.S. Department of Justice (DOJ).

The City is currently in Consent Decree negotiations with the EPA and the DOJ over past and on-going sanitary sewer overflows (SSOs). This Consent Decree will require the City to fully characterize and assess the physical condition of the sewer infrastructure and will require repairs and rehabilitation to the sewer system totaling over \$200 million dollars within a minimum of an eight year period.

FUNDING OF EMERGENCY WATER AND SEWER PROJECTS

The City continues to have needs to repair parts of our system. These needs are not lumped in with planned projects, but rather emergency situations related to complete collapse of sewer mains, loss of backup transformers at both the water and wastewater plants and loss of critical pump station equipment. At this time there is little to no funding available for these types of projects or other emergencies.

COMPREHENSIVE CITY-WIDE GIS AND ASSET MANAGEMENT SYSTEM

Since 1997 the Department of Engineering and Environmental Services has utilized a general form of infrastructure asset management for water and wastewater and added roadway and drainage infrastructure in 2003. The City's Geographical Information System (GIS) project was started back in 1996 and has not yet acquired the funding or personnel needed to bring this system of maps and data up to current levels. While the generalized asset management reporting that has been done does not need a current GIS to provide information for the report, it is obvious that a GIS that includes all of the City's assets rather than just some of its assets would be much more useful and provide a more accurate report. Although the Department Of Engineering And Environmental Services has been able to develop trends of renewal expenditures by infrastructure asset category based on a general form of asset management and incomplete GIS data, it has not allowed for detailed development of inventory tracking, asset valuation, condition assessments, maintenance work order systems, and budget management. The Department is taking the first steps towards implementing an asset inventory management program. With the receipt of proposals to inventory and condition rate our roadways, the City will also collect roadside assets. This information will then be placed into a computerized maintenance management system (CMMS). The Department is reviewing current CMMS systems which can be expanded to meet all the City's needs for asset management. Until the City's GIS is updated and a comprehensive program is implemented, infrastructure asset planning activities will continue to indicate a range of needed expenditures rather than allowing for more efficient management and spending.

It is anticipated that the action by EPA and DOJ on the sanitary sewer system will require extensive effort in the way of documenting, modeling and assessing the sewer infrastructure. This work will be utilized as the beginning of a comprehensive city-wide infrastructure asset management program and GIS upgrade. With proper planning, other areas of City infrastructure (water, drainage, roadways) can be added to the program in an efficient, cost effective manner as funding becomes available. A comprehensive city-wide infrastructure asset management program and GIS upgrade are long term projects that will require careful planning and development. Critical asset systems such as the sewer system would be addressed first and over time, all asset categories would be included and mapped for a complete system. A project of this magnitude will take several years and \$15 to \$20 million dollars to implement. While this seems like a large amount of capital to spend, the savings from the application of these types of programs for asset renewal projects will ultimately pay for the project many times over.

INCREASED WATER TREATMENT CAPACITY

The T. L. Amiss Water Purification Facility (WPF), originally built in the early 1930's, is aging and requires significant investment to maintain its original treatment capacity of 90 million gallons per day (MGD). This plant takes water from Cross Lake and is the City's primary source of drinking water.

The T. L. Amiss WPF provides an average of 38 MGD of drinking water on a daily basis. The plant, as currently in place, can treat 78 MGD based on the most current design parameters and regulations. While the plant was originally designed for 90 MGD, this capacity has been reduced over the years due to more stringent regulations. The 78 MGD treatment capacity is also the total treatment capacity of the plant. This means that if one of the redundant treatment processes are out of service for cleaning or repair, this total capacity is likewise reduced. While it appears on average that there is adequate capacity to provide drinking water to the citizens of Shreveport, this capacity is stretched considerably during the summer months when the demands can, and have, risen to the total capacity of the plant. The summer of 2011 was a testament to our reliance on the typically abundant rainfall that we experience in this region. Last year was one of the driest on record. With the dry weather came an increase in water consumption. As a comparison, the peak day in 2010 was 61 MGD, while the peak day in 2011 was 77 MGD. Overall the water pumped from the T. L. Amiss WPF during the summer months of 2011 was a 19% increase over the same months in 2010. If one of the main treatment processes had failed during this time, the City might not have been able to provide the customers with all of their drinking water needs.

One alternative for assuring that the City has adequate water treatment capacity for the next 20 to 50 years would be to construct additional water treatment capacity of between 30 MGD and 60 MGD. The intent would be to construct this additional capacity in two locations, one near southeast Shreveport on the Red River, north of the Lucas Wastewater Treatment Facility, and a second one near the Red River, just south of I-220. By constructing one or both of these water treatment plants the City could provide not only additional needed capacity and redundancy but also a redundant raw water source with the Red River should there be an issue with the water from Cross Lake. These two plants are estimated to cost approximately \$168 million each to construct.

Alternative water treatment pilot testing will need to be conducted to provide data for use in optimizing the capacity; source raw water; and physical location of a second water treatment plant. The estimated cost of this preliminary pilot testing of water treatment technologies and associated engineering analysis is \$1,200,000.

CROSS LAKE

Cross Lake was built back in the late 1920's for the purpose of supplying water to the City of Shreveport. The T. L. Amiss Water Purification Facility was built on the shores of the lake and designed for a capacity of 8 MGD. Since that time the City has expanded and grown and development around the lake has increased. The lake now serves the dual purpose of water supply and recreation. There are two areas of concern for the lake, one is the slow silting in from creeks, streams and surface runoff which reduces the depth and water supply capacity and the other is non-native vegetation which not only speeds up the silting-in process and reduces recreation, but also contributes to water treatment issues including taste and odor.

The cost to dredge the lake back to the original depth and capacity is approximately \$200 million. The costs for reducing the non-native vegetation are smaller at \$1 million, but require yearly expenditures of a few hundred thousand dollars to maintain.

CROSS LAKE DAM

The Cross Lake Dam was built in the late 1920's. At the time the dam was built, the existing embankment was used as a railroad bridge over Cross Bayou. The spillway was constructed in 1928 to replace this embankment structure and form Cross Lake. The combined usage of the Cross Lake Dam as both a containment structure for raw water supply to the City of Shreveport's only water treatment facility and as structural support for two existing rail lines for Kansas City Southern Railroad provide an unusual

situation requiring a unique balance of responsibilities and accountability related to caretaking of the dam structure and surrounding area.

Studies have recently been conducted to determine maintenance, repair and replacement costs of various parts of the dam and spillway. The cost for providing additional structural support for the dam is approximately \$3 million. As discussed above, the spillway, or gate portion of the dam, was constructed over 80 years ago and is in need of replacement. Parts of the spillway are gates that are operated to provide for flood control when rains substantially increase the lake levels. This equipment is past its design life, replacement parts are not available and repairs are expensive. Replacement of the spillway structure is \$10 to \$15 million.

STREET REHABILITATION AND REPLACEMENT PROGRAM

Over the years the City has spent considerable dollars constructing the vast network of streets and highways that allow citizens quick and easy access to all parts of the City. As funding for maintenance of the streets has typically been underfunded, and has steadily decreased in the last six years, so has the condition of the streets. In 2011, a program was proposed to repair a large portion of our streets. Early estimates for this program approach \$100 million. A committee was recommended and a system to inventory and rate our streets was proposed to organize and optimize this process. As with the rest of our infrastructure, the longer this is postponed, the more expensive the repair cost will be.

INTELLIGENT TRAFFIC SYSTEM

Early in 2009, the main-frame computer that managed the Traffic Signal System in Shreveport took heavy damage from a fire. This thirty year old central system is now completely off line and has no option for repair. Unfortunately, the back up system for this equipment is even older. Signals within the city are now operating on equipment that is, in some cases, over sixty years old.

This turn of events is causing congestion, increased driver frustration, and an overall drop in motorist's safety throughout the City. Small projects, such as Youree Drive and the signals along I-20 have updated roughly fifteen percent of the system utilizing the seven million dollars in federal grant monies obtained from 2001-2005. To completely utilize the capabilities these improvements represent, more work is needed. In addition, the estimated total cost to rehabilitate the entire system is approximately sixty million dollars.

WATER DISTRIBUTION SYSTEM ISSUES

While the City has expended considerable funds to rectify pressure issues in Southeast Shreveport, city-wide issues of aged and undersized water mains remain. These issues present the City with continual repairs when these mains fail. Not only do water main breaks provide an inconvenience to customers, but they cost the City millions per year in emergency repairs as well as lost water. The Department of Engineering and Environmental Services has estimated that approximately \$150 million is needed to bring the water distribution system up to current standards and levels of reliable service.

EXECUTIVE SUMMARY

The state of our infrastructure is a very important issue that has a significant impact on our citizen's daily lives. As a City government, it is our business to design, construct, operate and maintain the infrastructure (roads, bridges, pipes and pumps, etc.) to facilitate the development of our City. As a practical matter, all of the facilities we install have a life cycle. Within that life cycle it is implied that resources for the expected maintenance and the eventual replacement are required. Some facilities have different life expectancies and different maintenance requirements.

For planning purposes, we have to take into account the capital cost of a project, its life expectancy and the years between preventive maintenance and replacement. The problem is when our aging facilities were designed and built; an implied covenant was made to expend the capital to provide for preventive maintenance and replacement when the service life comes to an end. What we are witnessing today symptomatically is the advanced and sometimes premature decay of our infrastructure and the breaking of that implied covenant made many years ago.

With issues today that include water management, energy efficiency, funding and environmental concerns, infrastructure should be viewed in a different manner. As a result, the new buzzword is "sustainability". This includes not only the physical asset and how it is installed, but the affect of that asset on its surrounding environment. Elements of sustainability include conservation and efficiency, energy management, security, environmental stewardship, public outreach and information, funding transparency and realistic life-cycle costing, and regulatory optimization.¹ With all of these issues comes a cost of not only money but time, both of which are in short supply.

Historically municipalities have lagged in infrastructure spending as compared to the needs. An example is the 2002 US Environmental Protection Agency report, The Clean Water and Drinking Water Infrastructure Gap Analysis. This report concluded that the current national spending "gap" for water and wastewater capital needs is \$225 billion. This is the amount needed above current spending. This does not include the Operations and Maintenance spending gap of over \$300 billion.

Nationally the current spending for water and wastewater infrastructure is \$30 billion.² The majority of these funds are derived from local sources as minimal federal monies are typically available to municipalities other than through the State Revolving Loan programs. As the name suggests, these are loans and not grants, and local revenues must ultimately pay back principal and interest on these loans.

¹ American Water Works Association, Sustainable Water Systems, Opflow February 2010.

² 2009 Congressional Budget Office.

The emphasis on infrastructure sustainability is being driven by the widely accepted fact that cities historically have managed their infrastructure poorly. This has resulted in a national concern for municipal infrastructure which is in poor condition and is continuing to deteriorate to the point of negatively impacting the economic strength of cities, as well as health concerns of citizens.^{3 4}

Minimization of expenditures on municipal infrastructure is not the least cost alternative to infrastructure management—it only defers needed expenditures until infrastructure assets' failure require their replacement—always at a much greater cost due to parts, labor, method of repair and collateral damages. These increased costs are often hidden but are real costs that unnecessarily increase the amount that citizens pay and can negatively affect the quality of services provided.

The Department of Engineering and Environmental Services has utilized a general form of infrastructure asset management which dates back to 1997.⁵ Since that time, numerous reports on the status of the water and sewer infrastructure have been produced for the U. S. Environmental Protection Agency (EPA) and the Louisiana Department of Environmental Quality (DEQ), and for internal City use.

In 2003, the Infrastructure Committee of the City Council requested that streets and drainage be added to the monitoring of infrastructure status. It is one of the Department Engineering and Environmental Services highest priorities to implement a comprehensive infrastructure asset management program for water, sewer, streets, and drainage infrastructure that will build on what was initiated in 1997.

As detailed in the annual report “Capital Projects and Proposed Infrastructure Improvement Programs” the City has total infrastructure needs of almost \$1.5 billion dollars. Those needs as compared to the actual annual spending provided in this report show that the City’s spending gap is comparable to that of other municipalities around the country. While the City has expended over \$300 million since 2000 for capital improvements, this has not been enough to keep up with the infrastructure needs.

³ Report Card for America’s Infrastructure, 2003 Progress Report: An Update to the 2001 Report Card, American Society of Civil Engineers.

⁴ Report Card for America’s Infrastructure, 2005 Progress Report. An update to the 2003 Report Card, American Society of Civil Engineers.

⁵ ‘State of the Water and Sewer Infrastructure Report: City of Shreveport, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011’.

This document summarizes the general asset management approach used by the Department of Engineering and Environmental Services to report the current infrastructure expenditures and estimated renewal rates for the City's municipal infrastructure and to make recommendations about the most cost effective actions which will continue to improve that infrastructure.

STATE OF THE MUNICIPAL INFRASTRUCTURE

The following sections summarize the status of investment in the water, sewer, streets, and stormwater drainage infrastructure in the City of Shreveport. The information has been updated through mid year 2012. As indicated previously in this report, annual renewal costs were revised at the end of 2009 from previous reports for water, wastewater and roadways.

TOTAL MUNICIPAL INFRASTRUCTURE

For the purposes of this report, the total municipal infrastructure consists of (1) water and sewer infrastructure assets; (2) roadways infrastructure assets; and (3) stormwater drainage infrastructure assets.


The following are brief discussions and explanations of these specific assets with graphs comparing actual annual capital expenditures vs. target annual investment expenditures or asset renewal rates.

The information described below was utilized to develop the recommended annual investment or annual renewal requirement amounts shown on the graphs:

- 1) The annual infrastructure asset renewal rate is intended to represent a best estimate of the percentage of infrastructure assets which will become inoperable or unusable each year and therefore will need to be replaced. For most assets, an economic life is typically 50 years. For assets that include equipment, an economic life of 20 years is utilized. A 50 year economic life corresponds to an estimated infrastructure asset annual renewal rate of 2% (50/100) and 20 years corresponds to a renewal rate of 5% (20/100). This means that the City should budget for replacing between 2% or 5% of its infrastructure every year.
- 2) Conservative replacement values have been used to calculate an estimated annual replacement rate of \$74,850,000 for the total municipal infrastructure. These costs are based on a total infrastructure value of \$3.2 billion. The value of the infrastructure is based on current construction costs for each type of infrastructure whether that is an asphalt roadway, a 12-inch water main or a concrete drainage channel.

As stated above, the total estimated value of the City's infrastructure is \$3.2 billion. This is a very rough estimation based on miles of pipe and roadway, pumping and treatment facilities, inlets and channels. Some infrastructure is less expensive to replace than another of the exact same size. For instance, a 12-inch sewer line is less expensive to replace when located in the middle of a road right of way with no other conflicting utilities than a 12-inch sewer main located in the middle of a road.

Being able to accurately assess the value (and condition) of existing infrastructure allows for better planning and utilization of capital infrastructure funding. The better the infrastructure asset management system implemented by the City, the more realistic the annual renewal expenditure the City will be able to use while improving and sustaining its infrastructure at planned operability levels. A more detailed, comprehensive asset management system coupled with an accurate, up-to-date GIS would allow for less interpretation and estimation of data and would rely more heavily on actual values of existing infrastructure. This will result in more accurate estimations of infrastructure renewal rates which in turn will provide for realistic budgeting of capital improvements as well as future financing plans.



Total (20 and 50 year) Infrastructure Renewal Rate

 Actual Infrastructure Renewal Expenditures

TOTAL MUNICIPAL ANNUAL INFRASTRUCTURE RENEWAL

WATER AND SEWER INFRASTRUCTURE

Water and sewer infrastructure assets are physical structures with related equipment, piping, and appurtenances which treat and transport water and wastewater.


The level of water and sewer service is highly dependent upon the condition and functional capability of the water and sewer infrastructure assets.

Categories of Water and Sewer Infrastructure Assets


The four major categories of water and wastewater infrastructure assets are:

- 1) Water Supply, Treatment and Pumping Facilities.
- 2) Water Distribution System (Piping).
- 3) Wastewater Treatment and Pumping Facilities.
- 4) Wastewater Collection System (Piping).

The following graphs indicate the historical investment in infrastructure for each of the above water and wastewater infrastructure asset categories.




WATER SUPPLY, TREATMENT, AND PUMPING FACILITIES ANNUAL INFRASTRUCTURE RENEWAL




◆ 50-Year Water Distribution System (Piping) Infrastructure Renewal Rate ■ Annual Water Distribution System [Water Piping] Infrastructure Expenditures

WATER DISTRIBUTION SYSTEM ANNUAL INFRASTRUCTURE RENEWAL



WASTEWATER TREATMENT AND PUMPING FACILITIES ANNUAL INFRASTRUCTURE RENEWAL



◆ 50-Year Wastewater Collection System (Piping) Infrastructure Renewal Rate
 ■ Actual Wastewater Collection System (Piping) Infrastructure Renewal Expenditures

WASTEWATER COLLECTION SYSTEM ANNUAL INFRASTRUCTURE RENEWAL

ROADWAYS INFRASTRUCTURE

Roadways infrastructure assets are the physical road structures with related bridges, overpasses, and appurtenances which are used by vehicular traffic.

The level of operability as reflected by such parameters as lost time due to alternative routing for detours is highly dependent upon the condition and functional capability of the roadway infrastructure assets.


Overall Roadway Infrastructure Assets

For many years the City of Shreveport was very aggressive in procuring funding for their roadway system. Driving the City, these projects are apparent in the many loops and overpasses that move vehicles very efficiently around the City. In the 1990's the normal yearly expenditures for roadway improvement was \$13.5 million. Since that time funding has dwindled to minimal levels of \$4.5 million. Last year's budget for asphalt roadway maintenance and concrete roadway maintenance was \$800,000. This reduction in funding is apparent as you travel the City and see the streets with numerous cracks and potholes. In recognizing this problem, the City created a special revenue fund for roadway improvements. The funding source for this program is being provided for by increased franchise fees for use of the right of way and other City property by utility owners. Along with this additional funding source and a pavement management program the City will be better prepared to address the future needs for our roadway systems.

Categories of Roadway Infrastructure Assets

The two major categories of roadway infrastructure assets are (1) concrete roadways and appurtenances and (2) asphalt roadways and appurtenances.

The following is a graph of roadway annual investment.



ROADWAY SYSTEM ANNUAL INFRASTRUCTURE RENEWAL

STORMWATER DRAINAGE INFRASTRUCTURE

Stormwater drainage infrastructure assets are the physical structures which convey stormwater to waterways.



The level of operability as reflected by such parameters as annual liability costs due to flooding is highly dependent upon the condition and functional capability of the stormwater system.

Categories of Stormwater Infrastructure Assets

The major categories of stormwater infrastructure assets are (1) open ditches and channels and (2) closed conduit, pumping, and piping systems.

Major maintenance of the drainage system infrastructure (underground pipe system, paved drainage channels, storm drainage structures) is dependant on the availability of GOB funds. The 2011 GOB included \$3 million for citywide drainage system, \$1.7 million for paved channel and \$800,000 for purchase of flood prone properties. These funds may be sufficient to provide drainage infrastructure maintenance for approximately 3 to 4 years.

The following is a graph of stormwater infrastructure annual investment.



DRAINAGE SYSTEM ANNUAL INFRASTRUCTURE RENEWAL

CONCLUSIONS AND RECOMMENDATIONS

As our infrastructure system has aged without the benefit of the appropriate level of annual maintenance and replacement we are in a position that we cannot keep up with the projects at hand and at some levels we are jeopardizing the public safety. On average, the cost of “band-aid”/emergency projects is double the cost of a planned repair or replacement. In some cases the cost can be 3 to 5 times as much. A recent example is a collapse of a 12-inch sewer main in an alley downtown. The cost to replace 50 feet of sewer main was \$96,000. If a project for rehabilitation had been planned and completed prior to the collapse, the main could have been rehabilitated for \$15,000.

To reach a sustainable level of infrastructure condition, the City needs to:

- 1) Finalize implementation of City-Wide GIS and asset management tools and systems to allow systematic management of the infrastructure (integrated management of operations, maintenance, and capital improvements). The costs of this program range from \$15 to \$20 million.
- 2) Assure that operations/maintenance management of assets as well as ongoing evaluation of operability (i.e., adequate service level) of assets is included as integral parts of the decision process in the determination of capital improvements.
- 3) Provide funding for infrastructure improvements to essentially ‘catch up’ to current expected levels of service. While the City has funded over \$300 million since 2000 for capital improvements and has recently passed a \$175 million GOB, this figure does not come close to the nearly \$1.5 billion identified in the “Capital Projects and Proposed Infrastructure Improvement Programs” that is needed to “catch up”.
- 4) As provided previously and as reflected in this document, it is estimated that approximately \$74,850,000 annually is needed to replace water, sewer, streets and drainage infrastructure assets which become operationally obsolete. This is in addition to the funding needed to “catch up” on the current state of infrastructure disrepair.
- 5) Implement a budget which reflects a water, sewer, streets and drainage rate/tax structure which supports all of the above aspects of cost-effective, systematic infrastructure asset management.

POTENTIAL FUNDING SOURCES

Impact fees for water, sewerage, and roadway infrastructure.

Implementation of a stormwater utility enterprise fund.

Implementation of a dedicated sales tax for infrastructure.

Implementation of a dedicated property tax for infrastructure.

Implementation of a taxing authority around Cross Lake for upkeep of the lake.

General Obligation Bonds.

Water and Sewer Utility Rate Increases.